



**General characteristics :**

LOA : ..... 18.28 m  
 Bmax : ..... 8.57 m  
 Draft : ..... 1.45 m  
 Clearance : ..... 24 m  
 Lightweight displacement of standard boat : ..... 17 300 kg  
 Displacement under maximum load : ..... 24 000 kg  
 Maximum load : ..... 6 700 kg

Sail area :  
 - Genoa : ..... 70 m<sup>2</sup> (approx.)  
 - Mainsail : ..... 110 m<sup>2</sup> (approx.)

Engines : ..... 2 x 75 Hp

Tank capacity :  
 Fresh water : ..... 795 L (approx.)  
 Fuel : ..... 1 100 L (approx.)

Boat EU certification . Category A : 12 persons, category B :12 persons, category C : 20 persons, and category D : 30 persons

**Architects : ..... BERRET RACOUPEAU YACHT DESIGN**

## Interior layout :

### General :

- Sycamore woodwork
- Interior sole : parquet style wood flooring
- Lining on rot proof glass felt
- Bultex foam mattresses

## Saloon layout :

### General :

- Saloon accessed through double glass sliding door
- Panoramic view through picture windows and aft-facing portholes
- Curtains on cockpit entrance door and aft-facing portholes
- Ventilation via 2 big front-opening hatches + 2 hatches on the roof
- Permanent natural ventilation by air duct in the anchor locker

### Galley :

- Galley with 1 large working top
- 2 stainless steel sinks with draining board.
- 1 vertically-accessed bin, bags removed from separate door
- Hot and cold pressurized water, mixer tap
- Pressurized salt water, mixer tap
- 1 stainless steel hob, 4 strong power gas burners
- 1 x 54 L stainless steel strong power gas oven
- 1 refrigerator
- Lots of cupboards and drawers
- Space allowed for large dishwasher (12 place settings)
- Bar with synthetic resin tray
- Halogen spotlighting
- Ventilation via hood above cooking hob

### Dining area :

- 1 x 5-place bench seat, and 1 x 3 place bench seat
- 1 wooden table to seat 8
- 1 drawer at the end of the bench seat
- Wall-to-wall carpeting
- Multiple halogen spotlights

### Saloon area :

- 1 bench seat for 4 people
- 1 dining table
- Wall-to-wall carpeting

**Chart table :**

- Wooden chart table with leather pad
- Large panel for electrical controls and navigational instruments
- Drawers under the chart table
- Chair
- Reading light

**Hull layout : « ORCHESTRA » VERSION**

Owner's cabin – 3 guest cabins

---

*Port hull : 1 Owner's suite + 1 guest cabin*

---

Staircase access to port hull.

**Owner's cabin :**

Accessed through wooden door in the passageway

**Sleeping space :**

- Double bed 1.55/1.20x2.00 approx. with access on either side (island bed) and slatted bed base
- 2 big drawers under the bed
- Ventilation by 1 inward-facing porthole
- Large non-opening outward-facing picture window
- Main lighting via 3 spotlights and 2 bedside reading lights

**Saloon area :**

- Wooden desk with leather pad and space under lift-up front
- Armchair
- Drawers under the desk
- Lots of cupboard space and hanging space
- 2 coat hooks
- Large mirror
- Ventilation via 1 deck hatch + 1 escape hatch on underside of pod
- Blind and mosquito net on the deck hatch
- 1 non-opening outer-facing picture window
- Main lighting - halogen spotlights and 1 desk reading light

**Bathroom space :**

- Access via wooden door in the owner's cabin
- Synthetic resin counter top with built-in washbasin
- Hot and cold water, mixer tap
- Electric marine toilet with holding tank
- Bathroom accessories
- Big mirror above wash basin
- Separate shower with hot and cold water – mixer tap
- Bathroom ventilation via a deck hatch
- Lighting - 2 watertight spotlights

**Fore cabin :**

- Access via wooden door in passageway
- Double bed (1.35/1.10x2.00m approx.) with slatted bed base
- 2 big drawers under the bed
- 1 hanging space and cupboards
- Ventilation via 1 deck hatch and 1 inward-facing porthole
- Blind and mosquito net on the deck hatch
- Big non-opening outward-facing picture window
- Main lighting - 2 halogen spotlights + 2 bedside reading lights

**Forward bathroom :**

- Private access via wooden door in fore cabin
- Synthetic resin counter top with built-in washbasin
- Hot and cold water, mixer tap with built-in showerhead
- Shower with automatic drainage of waste water
- Electric marine toilet with holding tank
- Bathroom accessories
- Ventilation via 1 deck hatch
- 1 non-opening outward-facing picture window
- 2 watertight spotlights

**Forepeak :**

- Accessed by deck hatch
- Sole
- Fully-painted, with gel-coat finish

---

***Starboard hull : 2 guest cabins***

---

Staircase access to starboard hull

**Aft cabin :**

- Accessed through wooden door in passageway
- Double bed (1.55/1.20x2.00m approx.) accessible from either side (island bed) and slatted bed base
- 2 big drawers under the bed
- Lots of cupboard space and hanging space
- 2 coat hooks
- Ventilation via 1 deck hatch
- Large non-opening outward-facing picture window
- Blind and mosquito net on deck hatch
- Main lighting – 3 spotlights and 2 bedside reading lights

**Aft bathroom :**

- Private access via wooden door in the aft cabin
- Synthetic resin counter top with built-in washbasin
- Hot and cold water, mixer tap with built-in showerhead
- Shower with automatic drainage of waste water
- Electric marine toilet with holding tank
- Bathroom accessories
- Ventilation via 1 deck hatch
- 1 non-opening outward facing picture window
- 2 watertight spotlights

**Passageway :**

- Storage volume 250 L cooled by 1 eutectic plaque and 1 evaporator
- Eutectic plaque and evaporator energy supplied via 2 variable 24V- compressors
- Refrigeration volume 450 L cooled by 1 eutectic plaque
- Eutectic plaque energy supplied via 1 variable 24V- compressor
- Spacious cupboards
- Ventilation via 1 escape hatch on underside of pod
- 1 spotlight

**Fore cabin :**

- Access via wooden door in passageway
- Double bed (1.35/1.10x2.00m approx.) with slatted bed base
- 2 big drawers under the bed
- 1 hanging space and cupboards
- Ventilation via 1 deck hatch and 1 inward-facing porthole
- Blind and mosquito net on the deck hatch
- 1 non-opening outward-facing picture window
- Main lighting via 2 halogen spotlights + 2 bedside reading lights

**Forward bathroom :**

- Private access via wooden door in fore cabin
- Synthetic resin counter top with built-in washbasin
- Hot and cold water, mixer tap with built-in showerhead
- Shower with automatic drainage of waste water
- Electric marine toilet with holding tank
- Bathroom accessories
- Ventilation via 1 deck hatch
- 1 non-opening outward-facing picture window
- 2 watertight spotlights

**Forepeak :**

- Accessed by deck hatch
- Sole
- Fully-painted, with gel-coat finish

## Hull layout : « MAESTRO » VERSION

Owner's suite to port and 2 guest cabins to starboard.

---

### *Port hull : 1 Owner's suite*

---

Accessed through wooden door at the bottom of the companionway

#### **Sleeping accommodation :**

- Double bed, 1.60 / 1.20 x 2.00 approx. with access from either side (island bed) and slatted bed base
- 2 spacious drawers under the bed
- Ventilation via deck hatch and 1 inward-facing porthole
- Blind and mosquito netting on deck hatch
- Large non-opening outer-facing picture window
- Main lighting : 3 spotlights and 2 bedside reading lights

#### **Saloon area :**

- Wooden desk with leather pad and space under lift-up front
- Armchair
- 2-seater bench seat
- Drawers under desk
- Lots of cupboards and hanging space
- 2 coat hooks
- Ventilation via 2 deck hatches + 1 escape hatch on underside of pod
- Blind and mosquito netting on the deck hatch
- 1 non-opening outer-facing picture window
- Main lighting - halogen spotlights and 1 bedside reading light

#### **Separate marine toilet :**

- Accessed through wooden door from the saloon area
- Electric marine toilet with holding tank
- Pressurized hot and cold water, mixer tap
- Ventilation via 1 deck hatch
- Lighting - 2 waterproof spotlights

#### **Bathroom area :**

- Accessed by wooden door from saloon area
- Synthetic resin counter top with built-in washbasin
- with hot and cold water, mixer tap
- Bathroom accessories
- Separate shower with hot and cold water, mixer tap
- Automatic drainage of the waste water
- Bathroom ventilated via 1 deck hatch
- 1 outer-facing picture window
- Lighting - 3 waterproof spotlights

**Linen stowage :**

- Access via wooden door in bathroom
- Lots of stowage space
- Space for 5kg washing machine and 5kg drier
- Ventilation via 1 deck hatch
- Lighting – 1 watertight spotlight

---

**Starboard hull : 2 double cabins**

---

Access to starboard hull via staircase

**Aft cabin :**

- Access via wooden door in the passageway
- Double bed (1.60 / 1.20 x 2.00m approx.) with access from either side (island bed) and slatted bed base
- 2 spacious drawers under the bed
- Lots of cupboards and hanging space
- 2 coat hooks
- Ventilation via 1 deck hatch
- Large non-opening outer-facing picture window
- Blind and mosquito netting on deck hatch
- Main lighting - 3 spotlights and 2 bedside reading lights

**Aft bathroom :**

- Private access through wooden door from the aft cabin
- Synthetic resin counter top with built in wash basin
- Hot and cold water, mixer tap, built in hand shower
- Shower with automatic drainage of waste water
- Electric marine toilet with holding tank
- Bathroom accessories
- Ventilation via 1 deck hatch
- 1 non-opening outer-facing picture window
- Lighting - 2 watertight spotlights

**Passageway :**

- Storage volume 250 L cooled by 1 eutectic plaque and 1 evaporator
- Refrigeration volume 450 L cooled by 1 eutectic plaque
- Spacious cupboards
- Ventilation via 1 escape hatch on underside of pod
- 1 spotlight

**Fore cabin :**

- Accessed through wooden door in the passageway
- Double bed (1.35/1.10x2.00m approx.) with slatted bed base
- 2 big drawers under the bed
- 1 hanging space and storage space
- Ventilation via 1 deck hatch and 1 inward-facing porthole
- Blind and mosquito net on the deck hatch
- Big non-opening outer-facing picture window
- Main lighting - 2 halogen spotlights + 2 bedside reading lights

**Forward bathroom :**

- Private access from the cabin via wooden door
- Synthetic resin counter top with built-in washbasin
- Hot and cold water, mixer tap, built-in showerhead
- Shower with automatic drainage of waste water
- Electric marine toilet with holding tank
- Bathroom accessories
- Ventilation via 1 deck hatch
- 1 non-opening outer-facing picture window
- Lighting - 2 watertight spotlights

**Forepeak :**

- Accessed through deck hatch
- Sole
- Fully-painted, with gel-coat finish

## Deck layout :

### Helming station :

- Triple helmsman seat
- Large instrument control panel
- Altuglas protective windshield

### Cockpit :

- 1 fixed teak batten cockpit table
- 1 teak batten 6-person bench seat + 1 teak batten 2-person bench seat around the table
- 1 teak batten 3-person bench seat + 1 teak batten 4-person bench seat
- 1 locker in cockpit sole
- 2 very big lockers behind the 6-person bench seat with space to put a gas bottle
- 2 lockers for life raft with direct access to the sea
- 1 protective sun awning

### Foredeck area :

- 1 big fore locker separated into 3 compartments (2 for mooring gear) with storage space for the mast for halyards at the foot of the mast
- Polyester locker cover on jack

### 2 technical holds aft :

- Accessed through polyester locker cover on jack in the cockpit
- Aft area with generator,
- 1 outlet in each hold
- 2 neon lights

### 2 engine holds :

- independent engine compartment under aft technical hold sole
- access via 2 hinged panels
- high-performance sound proofing

---

## Engines

---

### Engines and equipment :

- 2 x 75 Hp engines
- High-resistance stainless steel direct transmission shafts
- V-shaped shaft bearing bracket
- 2 three-blade fixed propeller
- Salt water filters
- Engine cooled by exchanger
- Engine compartment ventilation natural intake of air + mechanical extraction of air
- Complete control panels and dual engine controls at helming station

**Diesel circuit :**

- 1 aluminum diesel tank filled directly via the locker in the cockpit sole
- Electrical gauge with indicator at chart table
- 1 diesel pre-filter water separator + engine diesel filter
- Diesel shot-off valve accessible via the locker in the cockpit sole

---

*Plumbing*

---

- Polypropylene freshwater tanks with 1 electric gauge (indicator at chart table)
- Twin electrical pump and pressurized water tank
- Dockside intake for direct connection to fresh water supply
- 2 x 40 L water heater
- 1 electrical bilge pump (5.4 m<sup>3</sup>/h) in each engine hold
- 1 independent electrical bilge pump (5.4 m<sup>3</sup>/h) in each float
- 4 x automatically starting bilge pumps with audible and visual alarm at the chart table
- 2 hand-operated external drying out pumps
- 4 waste water collector with automatic pumps
- 2 back-up hand-operated drainage pumps

---

*Electricity / Electronics*

---

**Power circuit :**

- 1 port engine battery 100 Ah 12V + 1 starboard engine battery 100 Ah 12V
- 2 engine alternators 115 Ah 12V recharging these 2 engine batteries
- Back-up manual connection between both sets of engine batteries
- 1 set of batteries for on board energy supply to port 330 Ah 24V + 1 set of batteries for on board energy supply to starboard 330 Ah 24V
- 2 engine alternators 75 A 24V with high-performance adjustments recharging both sets of batteries for the energy supply on board
- Back-up manual connection between both sets of on board batteries
- 1 x 24V/220V inverter
- 220V supplying with a genset and distribution to 220v network
- Overall circuit protection via trip switch

**Distribution 24V :**

- Distribution decentralized from the 24V functions
- Protection via trip switches located in 5 watertight lockers
- 12V switchboard at the chart table with trip switch protection for functions requiring an on/off switch – pumps, sailing lights, electronics ...
- Free sockets for other equipment

**Electronics :**

- 1 complete navigation unit including, log, speedo, sounder, masthead fly and anemometer and repeater
- 1 V.H.F. masthead aerial
- 1 x 24V hydraulic pump for the automatic helm

---

*Rigging and sails*

---

**Mast and boom :**

- White lacquered aluminum mast and boom
- Full standing rigging
- Ball bearing slides on mainsail luff
- 1 mainsail halyard, twin-thread low-stretch cover
- 2 genoa halyards
- 1 spinnaker halyard
- 1 boom topping lift
- 1 lazy bag
- 3 reef lines
- 2 lazy-jacks
- 2 flag halyards
- Jammers on all halyards, reef lines and topping lift
- 1 electric size 46 self-tailing winch for mainsail halyard and reef lines, 1 size 44 self-tailing winch for genoa/spinnaker halyards
- Underway, running and anchorage lights
- Deck lighting

**Sails**

- Fully-battened mainsail and very high quality genoa jib
- Genoa roller furler

---

*Deck gear*

---

**Mainsail and genoa jib :**

- 1 mainsheet tackle with lead aft the cockpit
- 1 jammers for mainsheet
- 2 size 60 winches for mainsheet, gennaker and spinnaker
- 1 mainsail ball-bearing sheet traveler
- 2 x traveler trimming tackle on jammers
- Genoa sheet track traveler with lead block
- 2 genoa sheets
- 2 x size 70 winch for genoa

**Other equipment :**

- Hydraulic helming system with leather covered steering wheel helm, hand pump, 2 jacks
- 1 back-up tiller
- 1 steering compass
- 3 winch handles + 3 pockets
- Pushpits and pulpits, stanchions with upper and lower guardrails
- 2 Swedish pulpits
- Cockpit accessed gangway pushpits
- Teak battened aft skirt lower platform
- 1 swim ladder + 1 cold water shower in the port skirt
- 2 tender davits (300 kg max. load each) with jammers
- 1 size 16 STC self-tailing winch on starboard davit
- 7 mooring cleats (2 foredeck + 2 midships + 2 aft + 1 anchor locker)
- Deck molding
- 6 fenders and its cover
- 2 x 50 ft long mooring lines
- 1500 W electric windlass protected by trip switch
- Anchor exit under the pod with built-in bridle
- Fore beam in white lacquered aluminum
- Polyester catwalk incorporating the jib boom
- 1 mooring davit on fore beam
- 2 nets forwards
- Kit of spare parts
- Boat name

***All dimensions are provided by way of indication only.***