# Helia 44 Evolution

HELIA 44 GRAND LARGE DESCRIPTIONS

General characteristics:	
L.O.A.:	24.3 ft
Lightship displacement:	
Sail area: Genoa:	34 sq. ft 53 sq. ft
Engines:	x 40 cv
Tank capacities: Freshwater:	oprox.) oprox.)
Boat CE certified: Category A: 12, category B: 12, category C: 18, category D: 22	

Architecte et Designer : BERRET RACCOUPEAU

# Interior Layout:

#### **General:**

- Woodwork With Alpi
- Saloon / cabin flooring: parquet
- Lining on rot proof glass felt
- Sofa cushions leather style
- Polyeter foam mattresses

# Saloon layout:

#### Saloon:

- Saloon access through a sliding Altuglas door 1 with entrance carpet
- Panoramic view through picture windows and aft-facing porthole
- Natural lighting by 2 roof bay
- 1 wooden table
- 6 places bench seat.
- Large cupboards under bench
- Ventilation via 2 large front-opening hatches
- Principal lighting by spot LED

### Galley:

- Open kitchen to the outside by sliding bay
- Sink work top in synthetic resin
- 2 stainless steel sinks
- Pressurized hot and cold freshwater from mixer faucet
- 1 draining board
- 1 top accessed trash can, bags removed through separate door
- 1 x 3 burner stove with pan holder
- 1 stainless gaz oven
- 1 cutlery drawer
- 3 large cupboards under sinks accommodating dishwasher (option)
- 2 storage cupboards. One of them can receive one fridge (Option)
- 190L cold storage volume
- 1large cupboard in starboard side of the entry door.
- LED spotlighting
- Ventilation by 1 opening hatch above stove top

## Chart Table:

- Wooden chart table and storage with flap
- High navigation instruments console
- Electric panel 12V
- One 12V electric outlet
- Chart table lighting by reading light

# Interior layout: « QUATUOR » version

#### 4 double cabins and 4 bathrooms

### 2 double cabins + 2 Bathrooms in each hull

#### Aft Cabin:

- Access through wooden door in passageway
- Double bed (1,60x2,00 m approximately.) with lateral access s (island bed)
- 1 Drawer under bed with frontal access s
- Shelving on side of bed
- 1 hanging closet
- 1 Console with shelves inside
- Ventilation though 1 deck hatch + via 1 porthole overlooking rear deck
- Aft panoramic bay
- Large non-opening outward-facing picture window
- Curtains on all openings
- Main lighting via spotlights LED and 2 bedside reading lights
- Coat hook
- Cupboards storage under bed

#### Aft and forward bathrooms:

- Access through wooden door
- Worktop with sink
- Mirror + shelves
- Hot and cold water by mixer.
- Separate shower with mixer tap with built-in showerhead
- Shower with electrical drainage pump
- Large manual marine toilet.
- Cupboard storage with internal shelves under worktop
- Coat hook
- Ventilation through 1 deck hatch
- 2 spotlights.

#### Passageway:

1 cupboard

#### Fore cabin:

- Access s through wooden door in passageway
- Double bed (1,60/1,3x 2m approximately.) with lateral access (island bed)
- 1 Drawer under bed with frontal access s
- 1 hanging closet
- 1 console with internal shelves.
- 1 shelve above bed
- Ventilation through 1 deck hatch and 1 hull hatch
- 1 escape hatch opening
- Large non-opening outward-facing picture window
- Curtains on all openings
- Main lighting via spotlights LED and 2 bedside reading lights.

- Coat hook
- Cupboards storage under bed

# Fore peak:

- Access via a wooden door in for cabin.
- Fully-painted, gel-coat finish
- Buoyancy reserve under half-height shelf

# Interior Layout: « MAESTRO » version

Starboard: Access to Owner's suite through wooden sliding door Port: 2 doubles cabins + 1 bathroom.

# Starboard hull: 1 owner's suite

# Sleeping space:

- Double bed (1,60x2,00 m approx.) lateral access (island bed
- 1 Drawer under bed with frontal access
- Shelving on sides of bed
- Ventilation via 1 deck hatch + 1 porthole overlooking on the rear deck.
- Rear panoramic bay
- Large non-opening outward-facing picture window
- Curtains on all openings.
- Main lighting by spotlights LED and 2 reading lights
- Coat Hook
- Cupboards storage under bed.

### Desk area:

- Wooden writing desk with tray on flap
- 1 Bench
- Large consoles storage: hanging closet and cupboard
- Library area
- Main lighting by spotlights LED and 1 reading light on desk.
- Ventilation via 1 desk hatch

#### Bathroom area:

- Washbasin with worktop and mirror
- Hot and cold water by mixer tap and integrated shower unit
- 1 large cupboard with internal shelves
- Bathroom accessories (towel-holder)
- Separate shower with electrical drainage pump
- Ventilation by 1 deck hatch
- Lighting by 2 LED spotlights.
- 1 large storage cupboard with shelves and hanging cupboard which may optionally be fitted with a 3 kg washing machine
- Between-deck ceiling

### **Independent WC**

- Manual W.C.
- Toilet roll bracket
- Ventilation by 1 deck hatch
- Lighting by LED spotlight

### Fore peak:

- Access from a deck hatch.
- Fully-painted, gel-coat finish
- Buoyancy reserve under half-height shelf

# Port hull: 2 double cabins + 2 bathrooms

#### Aft Cabin:

- Access through wooden door in passageway
- Double bed (1,60x2,00 m approximately.) with lateral access (island bed)
- 1 Drawer under bed with frontal access s
- Shelving on side of bed
- 1 Hanging closet
- 1 Console with internal shelves
- Ventilation though 1 deck hatch + via1 porthole overlooking rear deck
- Rear panoramic bay
- Large non-opening outward-facing picture window
- Curtains on all openings
- Main lighting via spotlights LED and 2 bedside reading lights
- Coat hook
- Cupboards storage under bed

### Aft and forward bathrooms:

- Access through wooden door
- Worktop with sink
- Mirror + shelves
- Hot and cold water by mixer.
- Separate shower with mixer tap with built-in showerhead
- Shower with electrical drainage pump
- Large manual marine toilet.
- Cupboard storage with internal shelves under worktop
- Coat hook
- Ventilation through 1 deck hatch
- 2 spotlights.

#### Passageway:

1 cupboard

#### Fore cabin:

- Access through wooden door in passageway
- Double bed (1,60/1,10 x 2m approximately.) with lateral access (island bed)
- 1 Drawer under bed with frontal access s
- 1 hanging closet
- 1 console with internal shelves.
- 1 shelve above bed
- Ventilation through 1 deck hatch and 1hull hatch
- 1 escape hatch opening

- Large non-opening outward-facing picture window
- Curtains on all openings
- Main lighting via spotlights LED and 2 bedside reading lights.
- Coat hook
- Cupboards storage under bed

# Fore peak:

- Access via a wooden door in for cabin.
- Fully-painted, gel-coat finish
- Buoyancy reserve under half-height shelf

# Deck layout:

Cockpit entirely protected by a rigid bimini. Circulation without step towards the saloon.

# Cockpit:

- 1x 8 persons bench seat around the table
- 1 Teck cockpit table
- Serving hatch to the kitchen by sliding bay
- 1 fainting sofa
- 1 Large storage area on the bench
- 1 Large storage area on the fainting sofa
- 1 Gas chest for 2 bottles
- Natural lighting and ventilation via deck hatches
- Lighting by waterproof spotlights

#### Helm station:

- Accessed via stairs from cockpit.
- Triple helmsman seat
- Instrument control panel
- Bin for halyards
- Stairs to access of lounge deck

# Lounge deck:

- Access via stairs through helm station
- Area available for solarium and mattresses.

### Fore deck:

- 1 Large chest for anchorage and halyard tail storage at bottom of mast.
- 1 large chest accommodating on Electric group (Option)

### 2 Engine holds:

- Accessed via polyester deck hatch in cockpit.
- Sound proofing
- Neon lighting

## MOTORIZATION:

### **Engines and Equipments:**

- 2 motors 40CV
- 2 Fixes blades propeller
- Salt water filter.
- Engine cooling by heat exchanger
- Complete engine panel and dual controls at helm station
- Hour meter

### Fuel system:

- 1 Fuel tank with filling by plug-hole on bridge equipped with a anti-overflow
- Electric fuel gauge (indicator on chart table)
- 1 fuel pre-filter / water separator +1 engine fuel filter/engine
- Fuel shutoff valves

## PLUMBING:

- Freshwater tanks with electric gauge
- 1 electric pump and pressure accumulator
- 1 water heater 40 l
- 1 electrical bilge pump (2 m3/h) in each engine hold
- 1 electric bilge pump (2m3/h) in each hull
- 1 manual exterior bilge pump
- 1 holding tank on each W.C

# **ELECTRICITY / ELECTRONICS:**

## Power system:

- 2 x 115A/12V engine alternators
- 1 set starboard onboard/engine batteries of 600A/h
- 1 port engine battery of 100A/h/800CCA
- 1 Manual back-up link

## 12V electrical distribution panel:

- General 12V distribution panel at chart table protected by circuit breakers
- Voltmeter for onboard batteries
- Spare sockets for extra equipment

#### **Electronic:**

1 V.H.F.mast head antenna

#### RIGGING AND SAILS:

#### Mast and boom:

- Mast and boom in anodised aluminium
- Complete standing rigging
- Ball bearing mainsail luff cars
- 1 tackle on mainsail halyard
- 1 topping lift
- 3 reef pennants
- 1 genoa halyard
- 1 spinnaker halyard
- lazy-jack
- clutches on all halyards for genoa, spinnaker and topping lift
- clutches on reef pennants at boom exit
- 2 flag halyards
- Navigation, running and mooring lights
- Deck lighting

#### Sails:

- Full batten CST mainsail
- Genoa roller fuller
- Genoa with no UV band

### FITTINGS:

## G.V. and genoa:

- 1 mainsheet tackle led aft to coach roof
- 1 clutch for mainsail sheet
- 1 clutch for mainsail halvard
- 3 clutch for the reef
- 1 Ball bearing mainsheet traveller
- 2 x tackle on mainsheet traveller clutches with back on roof
- 2 x genoa tracks with load block
- 2 genoa sheets
- 2 x -size 50 self tailing winches for genoa and mainsail sheets
- 1 size 46 self tailing winch for main sheet

# Other equipment:

- leather covered steering wheel helm
- 2 rudders linked mechanically by stock arm + transversal tube
- Emergency tiller
- 1 steering compass
- 3 winch handles and 3 pockets
- Pulpit and pushpit, stanchions with upper and lower guardrails
- Pulpits with seating
- Access to transom
- 1 swim ladder
- 1 cold water shower in port transom
- 2 x tender davit kayak carrier with 1 x winch 40
- 7 mooring cleats (2 foredeck + 2 middle + 2 astern + 1 in anchor well)
- 6 fenders
- 2 x 50 ft long mooring lines
- 1 x 1500W electric windlass with circuit breaker protection
- Anchor fairlead under bridge deck with built-in bridle
- 1 roller on forward beam
- Net on forward beam
- 1 kit of spare parts

All dimensions are given as a rough guide only.